






FA4310
L: 4' 0"
W: 3' 0"
H: 3' 8"
75 LBS

FA4315
L: 4' 0"
W: 3' 0"
H: 3' 4"
65 LBS




FA4310
4'- Crawl Tube



FA4315
4'- Crawl Tube
(2-5 Structures Only)



Part No.	Description	Crawl Tube Panel #	Qty
FA4310	4' Crawl Tube	MP3014	2
FA4315 (2-5)	4' Crawl Tube (2-5)	MP3037	2

FA4310 & FA4315




Exploded View

FA4310
Crawl Tube



Hardware Detail HK132



Hardware Detail HK092

FA4310 Crawl Tube

NOTE: Read installation instructions thoroughly before starting installation process.

Step 1: Review the concrete plan and details specific to your site before installation begins.


Step 2: Bolt the Crawl Tube sections together using hardware kit HK057 (12 places).

Step 3: Attach a Crawl Tube panel to both ends of the Crawl Tube using hardware kit HK058 (2 panels, 24 places).

Step 4: Bolt the VP1015 brackets to the posts on both decks using hardware kit HK132 (2 decks, 4 places).

Step 5: Place the Crawl Tube assembly into its location. Bolt the Crawl Tube panels on each end to the decks using hardware kit HK060 (2 decks, 8 places).

Step 5: Bolt the VP1015 brackets to the Crawl Tube panels using hardware kit HK092 (2 decks, 4 places).



NOTES PRIOR TO CONSTRUCTION:

- Use appropriate equipment to lift and move the play equipment.
- Check local codes and requirements prior to digging or installing any equipment.

NOTE: Always wear eye protection appropriate to the task at hand.

FA4310 Crawl Tube

Included Items:

Part #	Item	Description	Quantity
Varies	Crawl Tube (BPL3280)	Play Equipment	1
Varies	Crawl Tube (BPL3281)	Play Equipment	1
HK060	HDW-20	3/8" x 2" Button Head Torx Pin-in Bolt, SS	8
HK060	HDW-15	3/8" Split Lock Washer, SS	8
HK060	HDW-25	3/8" Small Flat Washer, SS	16
HK060	HDW-38	3/8" Nylock Nut, SS	8
HK092	HDW-44	3/8" x 1" Button Head Torx Pin-in Bolt, SS	4
HK092	HDW-15	3/8" Split Lock Washer, SS	4
HK092	HDW-25	3/8" Small Flat Washer, SS	4
HK092	HDW-31	3/8" x 11/16" Barrel Nut, SS	4
HK132	HDW-44	3/8" x 1" Button Head Torx Pin-in Bolt, SS	4
HK132	HDW-15	3/8" Split Lock Washer, SS	4
HK132	HDW-25	3/8" Small Flat Washer, SS	4
HK132	VP1015	VP1015 Panel Bracket	4
HK058	HDW-09	3/8" x 1-1/2" Button Head Torx Pin-in Bolt, SS	24
HK058	HDW-15	3/8" Split Lock Washer, SS	24
HK058	HDW-25	3/8" Small Flat Washer, SS	48
HK058	HDW-38	3/8" Nylock Nut, SS	24
HK057	HDW-08	3/8" x 1-1/4" Button Head Torx Pin-in Bolt, SS	12
HK057	HDW-15	3/8" Split Lock Washer, SS	12
HK057	HDW-25	3/8" Small Flat Washer, SS	24
HK057	HDW-38	3/8" Nylock Nut, SS	12

Use thread lock on all fasteners.
Cut bolt ends off with more than 2 exposed threads.