Four Points Net Climber

Product: FA4306, FA4006S






In-ground	Surface mount
FA4306	FA4306S
L: 15’ 0”	L: 11’ 3”
W: 10’ 6”	W: 10’ 6”
H: 5’ 0”	H: 4’ 0”
135 LBS	130 LBS

All images and concepts are Copyright © 2025, Cre8Play, LLC-All rights reserved. Cre8Play may change or modify this information as necessary and without notice.

~ All dimensions are approximate ~
~ Heights shown from top of surfacing ~
User Group Age: 5-12
Last Revised 11/10/2025

2401 Edgewood Ave S • Suite 200
St. Louis Park, MN 55426
612.670.8195
info@cre8play.com
cre8play.com

In-ground - Four Points Rope Climber




FA4306
Four Points Rope Climber

All images and concepts are Copyright © 2025, Cre8Play, LLC-All rights reserved. Cre8Play may change or modify this information as necessary and without notice.


~ All dimensions are approximate ~
~ Heights shown from top of surfacing ~
User Group Age: 5-12
Last Revised 11/10/2025

2401 Edgewood Ave S • Suite 200
St. Louis Park, MN 55426
612.670.8195
info@cre8play.com
cre8play.com

In-ground - Four Points Rope Climber



Concrete Footing Plan



Typical Component Footing Detail
Check local soil conditions.
(Not to Scale)

Footing Notes


- Do not encase the bottom of the support post in concrete. Place the post directly on packed stone.
- The footings shown in this document are recommendations based on historical performance in average soil conditions. Footing dimensions may be modified by owner based on actual soil conditions. Before changing footing dimensions, we strongly recommend the footings be reviewed and approved by a registered engineer.
- The base of the footings must be below the frost line.
- Assemble the entire play structure before pouring concrete unless instructed to do so in the individual play component.

All images and concepts are Copyright © 2025, Cre8Play, LLC-All rights reserved. Cre8Play may change or modify this information as necessary and without notice.

~ All dimensions are approximate ~
~ Heights shown from top of surfacing ~
User Group Age: 5-12
Last Revised 11/10/2025

2401 Edgewood Ave S • Suite 200
St. Louis Park, MN 55426
612.670.8195
info@cre8play.com
cre8play.com

In-ground - Four Points Rope Climber




Exploded View


All images and concepts are Copyright © 2025, Cre8Play, LLC-All rights reserved. Cre8Play may change or modify this information as necessary and without notice.

~ All dimensions are approximate ~
~ Heights shown from top of surfacing ~
User Group Age: 5-12
Last Revised 11/10/2025


2401 Edgewood Ave S • Suite 200
St. Louis Park, MN 55426
612.670.8195
info@cre8play.com
cre8play.com

In-ground - Four Points Rope Climber





Hardware Detail HK057 & HK058



Hardware Detail HK133

All images and concepts are Copyright © 2025, Cre8Play, LLC-All rights reserved. Cre8Play may change or modify this information as necessary and without notice.

~ All dimensions are approximate ~
~ Heights shown from top of surfacing ~
User Group Age: 5-12
Last Revised 11/10/2025

2401 Edgewood Ave S • Suite 200
St. Louis Park, MN 55426
612.670.8195
info@cre8play.com
cre8play.com

In-ground - Four Points Rope Climber

NOTE: Read installation instructions thoroughly before starting installation process.

Step 1: Lay out the area and prepare the site for install. Concrete must be installed over a solid, level base. Check local soil condition and codes. See product installation instructions for minimum use zone requirements to ensure proper spacing and adequate surfacing area.

Step 2: Refer to the typical in-ground footing detail on excavating a hole for the Component.

Step 3: Locate and position the 15" Enclosures on the deck opening. See FA4505L & FA4505R for instructions. Attach the Enclosure-15" Opening and the Deck Plate to the Deck using hardware kit HK057 & HK058 (2 Decks, 8 places). Bolt the top of the Enclosures to the Posts using hardware kit HK022 (2 Decks, 4 places).

Step 4: Place the In-ground Frames into the excavated footings. Using hardware kit HK133, attach the Four Points Net Climber to the Deck plates and In-ground Frames (6 places). Pull the net taught and temporarily brace when level and plumb. Completely build the rest of the Deep Woods Play System before you pour any concrete.

Step 5: Once the entire play system is built, pour the concrete footings. The concrete should be flush with the ground level, as shown in the typical in-ground footing detail. Allow time for the concrete to cure completely before continuing.

Step 6: Remove temporary bracing.



NOTES PRIOR TO CONSTRUCTION:

- Use appropriate equipment to lift and move the play equipment.
- Check local codes and requirements prior to digging or installing any equipment.

NOTE: Always wear eye protection appropriate to the task at hand.

All images and concepts are Copyright © 2025, Cre8Play, LLC-All rights reserved. Cre8Play may change or modify this information as necessary and without notice.

~ All dimensions are approximate ~
~ Heights shown from top of surfacing ~
User Group Age: 5-12
Last Revised 11/10/2025

2401 Edgewood Ave S • Suite 200
St. Louis Park, MN 55426
612.670.8195
info@cre8play.com
cre8play.com

In-ground - Four Points Rope Climber

Included Items:

Part #	Item	Description	Quantity
8000210-01	Four Points Net Climber	Play Equipment	1
WA4045	Deck Plate	Play Equipment	2
WA4052	In-Ground Frames	Play Equipment	2
HK058	HDW-9	3/8” x 1-1/2” Button Head Torx Pin-in Bolt, SS	4
HK058	HDW-15	3/8" Split Lock Washer, SS	4
HK058	HDW-25	3/8" Small Flat Washer, SS	8
HK058	HDW-38	3/8" Nylock Nut, SS	4
HK133	6391K408	Oil-lite Bushing	6
HK133	76067	Nylon Spacer	12


Use thread lock on all fasteners.
Cut bolt ends off with more than 2 exposed threads.

All images and concepts are Copyright © 2025, Cre8Play, LLC-All rights reserved. Cre8Play may change or modify this information as necessary and without notice.

~ All dimensions are approximate ~
~ Heights shown from top of surfacing ~
User Group Age: 5-12
Last Revised 11/10/2025

2401 Edgewood Ave S • Suite 200
St. Louis Park, MN 55426
612.670.8195
info@cre8play.com
cre8play.com

Surface mount- Four Points Rope Climber



FA4306S
Four Points Rope Climber

All images and concepts are Copyright © 2025, Cre8Play, LLC-All rights reserved. Cre8Play may change or modify this information as necessary and without notice.


~ All dimensions are approximate ~
~ Heights shown from top of surfacing ~
User Group Age: 5-12
Last Revised 11/10/2025

2401 Edgewood Ave S • Suite 200
St. Louis Park, MN 55426
612.670.8195
info@cre8play.com
cre8play.com

Surface mount- Four Points Rope Climber


NOTES PRIOR TO CONSTRUCTION:

-Use appropriate equipment to lift and move the play equipment.
-Check local codes and requirements prior to digging or installing any equipment.



TYPICAL 4" CONCRETE SLAB DETAIL (NOT TO SCALE)
CHECK LOCAL SOIL CONDITIONS.





Concrete Notes


- The slabs shown in this document are recommendations based on historical performance in average soil conditions. Slab dimensions may be modified by owner based on actual soil conditions. Before changing slab dimensions, we strongly recommend they be reviewed and approved by a registered engineer.
- Assemble the entire play structure before pouring concrete unless instructed to do so in the individual play component.

All images and concepts are Copyright © 2025, Cre8Play, LLC-All rights reserved. Cre8Play may change or modify this information as necessary and without notice.

~ All dimensions are approximate ~
~ Heights shown from top of surfacing ~
User Group Age: 5-12
Last Revised 11/10/2025

2401 Edgewood Ave S • Suite 200
St. Louis Park, MN 55426
612.670.8195
info@cre8play.com
cre8play.com

Surface mount- Four Points Rope Climber




Exploded View


All images and concepts are Copyright © 2025, Cre8Play, LLC-All rights reserved. Cre8Play may change or modify this information as necessary and without notice.

~ All dimensions are approximate ~
~ Heights shown from top of surfacing ~
User Group Age: 5-12
Last Revised 11/10/2025


2401 Edgewood Ave S • Suite 200
St. Louis Park, MN 55426
612.670.8195
info@cre8play.com
cre8play.com

Surface mount- Four Points Rope Climber






Hardware Detail HK057 & HK058



Hardware Detail HK022



Hardware Detail HK133

Use thread lock on all fasteners.
Cut bolt ends off with more than 2 exposed threads.

All images and concepts are Copyright © 2025, Cre8Play, LLC-All rights reserved. Cre8Play may change or modify this information as necessary and without notice.

~ All dimensions are approximate ~
~ Heights shown from top of surfacing ~
User Group Age: 5-12
Last Revised 11/10/2025

2401 Edgewood Ave S • Suite 200
St. Louis Park, MN 55426
612.670.8195
info@cre8play.com
cre8play.com

Surface mount- Four Points Rope Climber

NOTE: Read installation instructions thoroughly before starting installation process.

Step 1: Lay out the area and prepare the site for install. Concrete must be installed over a solid, level base. Check local soil condition and codes. See product installation instructions for minimum use zone requirements to ensure proper spacing and adequate surfacing area.

Step 2: Pour a concrete base for the component. Refer to the typical concrete slab section in this document. The concrete should be flush with the ground level. Allow time for the concrete to completely cure before continuing.

Step 3: Locate and position the 15" Enclosures on the deck opening. See FA4505L & FA4505R for instructions. Attach the Enclosure-15" Opening and the Deck Plate to the Deck using hardware kit HK057 & HK058 (2 Decks, 8 places). Bolt the top of the Enclosure to the Post using hardware kit HK022 (2 Decks, 4 places).

Step 4: Place the net into final installation location. Attach the net to the tabs using hardware kit HK133 (6 places). Pull the net taught and temporarily brace when level and plumb. See the hardware recommendation for information on anchoring equipment down to your concrete slab. Refer to the surfacing manufacturer for installation of an approved impact attenuating play surface around the component with a minimum use zone in every direction.


Step 5: Locate your anchor bolts, supplied. Using the proper standard drill bit size noted in the installation table, drill the concrete to the appropriate hole depth through the mounting holes.

Step 6: Insert the anchor bolt in HK130 into the hole and tighten until the bolt is fully seated. Do NOT over tighten the anchor bolts.


Anchor Bolt Installation:

Anchor Bolt Size	ANSI Standard Drill Bit Diameter	Anchor Head (Socket Size)	Minimum Embedment	Hole Depth
1/2" x 3"	7/16"	3/4"	2 1/2"	3 1/2"
5/8" x 4"	1/2"	13/16"	3 1/2"	4 1/2"
5/8" x 6"	1/2"	13/16"	5 1/2"	6 1/2"

Step 1: Drill



Step 2: Anchor



NOTE: Always wear eye protection appropriate to the task at hand.

All images and concepts are Copyright © 2025, Cre8Play, LLC-All rights reserved. Cre8Play may change or modify this information as necessary and without notice.

~ All dimensions are approximate ~
~ Heights shown from top of surfacing ~
User Group Age: 5-12
Last Revised 11/10/2025

2401 Edgewood Ave S • Suite 200
St. Louis Park, MN 55426
612.670.8195
info@cre8play.com
cre8play.com

Surface mount- Four Points Rope Climber

Included Items:

Part #	Item	Description	Quantity
VA2017	Four Points Net Climber	Play Equipment	1
WA4045	Deck Plate	Play Equipment	2
WA4082	Surface Mount Frames	Play Equipment	2
HK058	HDW-9	3/8” x 1-1/2” Button Head Torx Pin-in Bolt, SS	4
HK058	HDW-15	3/8" Split Lock Washer, SS	4
HK058	HDW-25	3/8" Small Flat Washer, SS	8
HK058	HDW-38	3/8" Nylock Nut, SS	4
HK133	6391K408	Oil-lite Bushing	6
HK133	76067	Nylon Spacer	12
HK130	HDW-18	5/8” x 4” Concrete Anchor	4

All images and concepts are Copyright © 2025, Cre8Play, LLC-All rights reserved. Cre8Play may change or modify this information as necessary and without notice.

~ All dimensions are approximate ~
~ Heights shown from top of surfacing ~
User Group Age: 5-12
Last Revised 11/10/2025

2401 Edgewood Ave S • Suite 200
St. Louis Park, MN 55426
612.670.8195
info@cre8play.com
cre8play.com